







Model	
20/2	 18 Nm



Cubic connector



- For torsion-proof corner connections of profiles with equivalent cross-sections
- *designLINE* version with special silver paint (RAL 9006) for an attractive, high-quality design
- Caps to cover the openings
- Screw fitting on profile with self-tapping screws
- Profile machining: not required


Technical data (p. 19-8)

Cubic connector 20/2	Slot	ESD		No.	FS
Set (standard), signal gray	6		*	1	3 842 549 858 2xFS1
Set <i>designLINE</i> , signal gray	6		*	1	3 842 549 859 2xFS1
Cubic connector	6			20	3 842 523 875
Cap D12				100	3 842 548 700
	signal gray (PP)				
	black (PP)			100	3 842 548 704
Countersunk screw S6x16	6			100	3 842 517 132




Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
 Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps


* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.


20/3


00109479


Model

FS1

30/2


00109483

Model

FS2

30/3


00109484

Model

FS2


Cubic connector 20/3	Slot	ESD	No.	FS
Set (standard), signal gray	6	⚡*	1	3 842 549 860 3xFS1
Set <i>designLINE</i> , signal gray	6	⚡*	1	3 842 549 861 3xFS1
Cubic connector	6	⚡	20	3 842 523 872
Cap D12	signal gray (PP)		100	3 842 548 700
	black (PP)	⚡	100	3 842 548 704
Countersunk screw S6x16	6	⚡	100	3 842 517 132

Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
 Fastening material: steel, galvanized

Scope of

delivery: Set incl. fastening material (FS), caps

* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.

Cubic connector 30/2	Slot	ESD	No.	FS
Set (standard), signal gray	8	⚡*	1	3 842 549 862 2xFS2
Set <i>designLINE</i> , signal gray	8	⚡*	1	3 842 549 863 2xFS2
Cubic connector	8	⚡	20	3 842 523 876
Cap D18	signal gray (PP)		100	3 842 548 701
	black (PP)	⚡	100	3 842 548 705
Countersunk screw S8x25	8	⚡	100	3 842 517 543

Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
 Fastening material: steel, galvanized

Scope of

delivery: Set incl. fastening material (FS), cover caps

* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.


Cubic connector 30/3	Slot	ESD	No.	FS
Set (standard), signal gray	8	⚡*	1	3 842 549 864 3xFS2
Set <i>designLINE</i> , signal gray	8	⚡*	1	3 842 549 865 3xFS2
Cubic connector	8	⚡	20	3 842 523 873
Cap D18	signal gray (PP)		100	3 842 548 701
	black (PP)	⚡	100	3 842 548 705
Countersunk screw S8x25	8	⚡	100	3 842 517 543

Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
 Fastening material: steel, galvanized


Scope of

delivery: Set incl. fastening material (FS), cover caps

* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.




Model	
40/2	60 Nm




Cubic connector 40/2	Slot	ESD		No.	FS
Set (standard), signal gray	10		*	1	3 842 549 866 2xFS3
Set <i>designLINE</i> , signal gray	10		*	1	3 842 549 867 2xFS3
Cubic connector	10			20	3 842 529 010
Cap D24	signal gray (PP)			100	3 842 548 702
	black (PP)			100	3 842 548 706
Countersunk screw S12x30	10			100	3 842 530 236

Material: Cubic connector: Diecast aluminum
designLINE cubic connector: painted (RAL 9006)
Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.




Model	
40/3	70 Nm




Cubic connector 40/3	Slot	ESD		No.	FS
Set (standard), signal gray	10		*	1	3 842 549 868 3xFS3
Set <i>designLINE</i> , signal gray	10		*	1	3 842 549 869 3xFS3
Cubic connector	10			20	3 842 529 011
Cap D24	signal gray (PP)			100	3 842 548 702
	black (PP)			100	3 842 548 706
Countersunk screw S12x30	10			100	3 842 530 236

Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.




Model	
45/2	
45x45L	150 Nm
45x45	200 Nm




Cubic connector 45/2	Slot	ESD		No.	FS
Set (standard), signal gray	10		*	1	3 842 549 870 2xFS3
Set <i>designLINE</i> , signal gray	10		*	1	3 842 549 871 2xFS3
Cubic connector	10			20	3 842 523 877
Cap D24	signal gray (PP)			100	3 842 548 702
	black (PP)			100	3 842 548 706
Countersunk screw S12x30	10			100	3 842 530 236

Material: Cubic connector: die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
* Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.




Model		
45/3	45x45L	170 Nm
	45x45	240 Nm




Cubic connector 45/3	Slot	ESD	No.	FS
Set (standard), signal gray	10	⚡*	1	3 842 549 872
Set <i>designLINE</i> , signal gray	10	⚡*	1	3 842 549 873
Cubic connector	10	⚡	20	3 842 523 874
Cap D24	signal gray (PP)		100	3 842 548 702
	black (PP)	⚡	100	3 842 548 706
Countersunk screw S12x30	10	⚡	100	3 842 530 236

Material: Cubic connector: Die-cast aluminum
designLINE cubic connector: painted (RAL 9006)
 Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
 * Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.




Model		
50/2		120 Nm




Cubic connector 50/2	Slot	ESD	No.	FS
Set (standard), signal gray	10	⚡*	1	3 842 549 874
Cubic connector	10	⚡	20	3 842 529 012
Cap D30	signal gray (PP)		100	3 842 548 703
	black (PP)	⚡	100	3 842 548 707
Countersunk screw S12x30	10	⚡	100	3 842 530 236

Material: Cubic connector: die-cast aluminum
 Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
 * Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.



Model		
50/3		140 Nm



Cubic connector 50/3	Slot	ESD	No.	FS
Set (standard), signal gray	10	⚡*	1	3 842 549 876
Cubic connector	10	⚡	20	3 842 529 013
Cap D30	signal gray (PP)		100	3 842 548 703
	black (PP)	⚡	100	3 842 548 707
Countersunk screw S12x30	10	⚡	100	3 842 530 236

Material: Cubic connector: die-cast aluminum
 Fastening material: steel, galvanized

Scope of delivery: Set incl. fastening material (FS), caps
 * Cubic connector creates conductive connection, but the caps included in the set are not ESD-compatible.